

Author Index

Abello, M.C., Velasco, A.P., Gorriz, O.F. and Rivarola, J.B.

Temperature-programmed desorption study of the acidic properties of y-alumina 93

Abouarnadasse, S., see Perrichon, V. 69

Alvila, L., see Timonen, J. 117

Andersson, S., see Zhang, Y. 125

Andresen, J.M., see Snape, C.E. 139

Bartholdy, J., Zeuthen, P. and Massoth, F.E. Temperature-programmed oxidation studies of

aged hydroprocessing catalysts 33 Bartholdy, J., see Zeuthen, P. 43

Bendiksen, M., Tangstad, E. and Myrstad, T.

A comparison of laboratory deactivation methods for FCC catalysts 21

Bertea, L., Kouwenhoven, H.W. and Prins, R.

Vapour-phase nitration of benzene over modified mordenite catalysts 229

Blanchard, G., see Perrichon, V. 69

Chen, H., see Wang, H. 143

Corma, A., Gonzàlez-Alfaro, V. and Orchillès, A.V. Catalytic cracking of alkanes on MCM-22 zeolite. Comparison with ZSM-5 and beta zeolite and its possibility as an FCC cracking additive 203

Cortright, R.D. and Dumesic, J.A.

L-zeolite-supported platinum and platinum/tin catalysts for isobutane dehydrogenation 101

Deng, J., see Wang, H. 143

Dumesic, J.A., see Cortright, R.D. 101

Dupont, P., Védrine, J.C., Paumard, E., Hecquet, G. and Lefebvre, F.

Heteropolyacids supported on activated carbon as catalysts for the esterification of acrylic acid by butanol 217

Foley, H.C., see Raich, B.A. 167

Gonzàlez-Alfaro, V., see Corma, A.

Gorriz, O.F., see Abello, M.C. 93

Gross, D., see Timonen, J. 117

Hecquet, G., see Dupont, P. 217

Hirva, P., see Timonen, J. 117

Hughes, R., see Snape, C.E. 139

Hutchings, G., see Snape, C.E. 139

Koon, C.L., see Snape, C.E. 139

Kouwenhoven, H.W., see Bertea, L. 229

Laachir, A., see Perrichon, V. 69 Lefebvre, F., see Dupont, P. 217

Lehmann, V., see Timonen, J. 117

Lischke, G., Schreier, E., Parlitz, B., Pitsch, I., Lohse, U. and Woettke, M.

Cubic and hexagonal faujasites with varying Si/ Al ratios II. Catalysis of n-heptane cracking 57

Lohse, U., see Lischke, G. 57

Lohse, U., Pitsch, I., Schreier, E., Parlitz, B. and Schnabel, K.-H.

Cubic and hexagonal faujasites with varying Si/ Al ratios I. Synthesis and characterization 189

Massoth, F.E., see Bartholdy, J. 33

Massoth, F.E., see Zeuthen, P. 43

McGhee, B.J., see Snape, C.E. 139

Mori, T., Yamauchi, S., Yamamura, H. Watanabe, M.

New hollandite catalysts for the selective reduction of nitrogen monoxide with propene 1

Muhammed, M., see Zhang, Y. 125

Myrstad, T., see Bendiksen, M. 21

Narayanan, S., Unnikrishnan, R. Vishwanathan, V

Nickel-alumina prepared by constant and varying pH method: Evaluation by hydrogen-oxygen chemisorption and aniline hydrogenation 9

Orchillès, A.V., see Corma, A. 203

Pakkanen, T.T., see Timonen, J.

Parera, J.M., see Yori, J.C. 83

Parera, J.M., see Yori, J.C. 151

Parlitz, B., see Lischke, G. 57

Parlitz, B., see Lohse, U. 189

Paumard, E., see Dupont, P. 217

Perrichon, V., Laachir, A., Abouarnadasse, S., Touret, O. and Blanchard, G.

Thermal stability of a high surface area ceria under reducing atmosphere 69

Pitsch, I., see Lischke, G. 57

Pitsch, I., see Lohse, U. 189

Prins, R., see Bertea, L. 229

Raich, B.A. and Foley, H.C.

Supra-equilibrium conversion in palladium membrane reactors: Kinetic sensitivity and time dependence 167

Rivarola, J.B., see Abello, M.C. 93

Schnabel, K.-H., see Lohse, U. 189

Schneider, P.

Adsorption isotherms of microporous mesoporous solids revisited 157

Schreier, E., see Lischke, G. 57

Schreier, E., see Lohse, U. 189

Snape, C.E., McGhee, B.J., Andresen, J.M., Hughes, R., Koon, C.L. and Hutchings, G.

Characterisation of coke from FCC refinery catalysts by quantitative solid state ¹³C NMR 139

Tangstad, E., see Bendiksen, M. 21

Timonen, J., Alvila, L., Hirva, P., Pakkanen, T.T., Gross, D. and Lehmann, V.

NMR imaging of aluminum oxide catalyst spheres 117

Touret, O., see Perrichon, V. 69

Unnikrishnan, R., see Narayanan, S. 9

Védrine, J.C., see Dupont, P. 217

Velasco, A.P., see Abello, M.C. 93

Vishwanathan, V., see Narayanan, S. 9 Wang, H., Yu, Z., Chen, H., Yang, J. and Deng, J.

High activity ultrafine Ni–Co–B amorphous alloy

powder for the hydrogenation of benzene 143

Watanabe, M., see Mori, T. 1

Woettke, M., see Lischke, G. 57

Yamamura, H., see Mori, T. 1

Yamauchi, S., see Mori, T. 1

Yang, J., see Wang, H. 143

Yori, J.C. and Parera, J.M.

Isomerization of n-butane over $Ni/SO_4^2 - ZrO_2$ 83

Yori, J.C. and Parera, J.M.

Preparation of Pt/SO_4^{2-} – ZrO_2 by incipient wetness impregnation: Influence of the sulfur concentration in the isomerization of n-butane 151

Yu, Z., see Wang, H. 143

Zeuthen, P., see Bartholdy, J. 33

Zeuthen, P., Bartholdy, J. and Massoth, F.E.

Temperature-programmed oxidation studies of aged V-containing hydroprocessing catalysts 43

Zhang, Y., Andersson, S. and Muhammed, M.

Nanophase catalytic oxides: I. Synthesis of doped cerium oxides as oxygen storage promoters 125



Applied Catalysis A: General 129 (1995) 253-256



Subject Index

Acidity

Temperature-programmed desorption study of the acidic properties of γ -alumina 93

Acid sites

Cubic and hexagonal faujasites with varying Si/Al ratios II. Catalysis of n-heptane cracking 57

Acrylic acid

Heteropolyacids supported on activated carbon as catalysts for the esterification of acrylic acid by butanol 217

Activated carbon

Heteropolyacids supported on activated carbon as catalysts for the esterification of acrylic acid by butanol 217

Aging

Temperature-programmed oxidation studies of aged hydroprocessing catalysts 33

Temperature-programmed oxidation studies of aged V-containing hydroprocessing catalysts 43

Alkane cracking

Catalytic cracking of alkanes on MCM-22 zeolite. Comparison with ZSM-5 and beta zeolite and its possibility as an FCC cracking additive 203

v-Alumina

Temperature-programmed desorption study of the acidic properties of γ -alumina 93

Aluminium oxide

NMR imaging of aluminum oxide catalyst spheres 117

Ammonia desorption

Temperature-programmed desorption study of the acidic properties of γ -alumina 93

Amorphous alloy

High activity ultrafine Ni-Co-B amorphous alloy powder for the hydrogenation of benzene 143

Aniline hydrogenation

Nickel-alumina prepared by constant and varying pH method: Evaluation by hydrogen-oxygen chemisorption and aniline hydrogenation 9

Benzene

Vapour-phase nitration of benzene over modified mordenite catalysts 229

BET isotherm

Adsorption isotherms of microporousmesoporous solids revisited 157

Butan

Isomerization of n-butane over Ni/SO₄² – ZrO₂ 83

Carbon

Heteropolyacids supported on activated carbon as catalysts for the esterification of acrylic acid by butanol 217

Catalyst

Vapour-phase nitration of benzene over modified mordenite catalysts 229

Catalyst deactivation

Supra-equilibrium conversion in palladium membrane reactors: Kinetic sensitivity and time dependence 167

Catalyst preparation (doping)

Nanophase catalytic oxides: I. Synthesis of doped cerium oxides as oxygen storage promoters 125 Catalyst structure

NMR imaging of aluminum oxide catalyst spheres 117

CeO₂

Thermal stability of a high surface area ceria under reducing atmosphere 69

Ceri

Thermal stability of a high surface area ceria under reducing atmosphere 69

Cerium oxide

Nanophase catalytic oxides: I. Synthesis of doped cerium oxides as oxygen storage promoters 125

Coke

Characterisation of coke from FCC refinery catalysts by quantitative solid state ¹³C NMR 139

Coking

Temperature-programmed oxidation studies of aged hydroprocessing catalysts 33

Temperature-programmed oxidation studies of aged V-containing hydroprocessing catalysts 43

CSTR-CSTR model

Supra-equilibrium conversion in palladium

membrane reactors: Kinetic sensitivity and time dependence 167

Cyclohexane dehydrogenation

Supra-equilibrium conversion in palladium membrane reactors: Kinetic sensitivity and time dependence 167

Deactivation

A comparison of laboratory deactivation methods for FCC catalysts 21

Supra-equilibrium conversion in palladium membrane reactors: Kinetic sensitivity and time dependence 167

Dealumination

Cubic and hexagonal faujasites with varying Si/Al ratios I. Synthesis and characterization 189
Vapour-phase nitration of benzene over modified mordenite catalysts 229

Dehydrogenation

L-zeolite-supported platinum and platinum/tin catalysts for isobutane dehydrogenation 101

Environmental

Nanophase catalytic oxides: I. Synthesis of doped cerium oxides as oxygen storage promoters 125

Esterification

Heteropolyacids supported on activated carbon as catalysts for the esterification of acrylic acid by butanol 217

Faujasites (cubic and hexagonal)

Cubic and hexagonal faujasites with varying Si/ Al ratios I. Synthesis and characterization 189

Characterisation of coke from FCC refinery catalysts by quantitative solid state ¹³C NMR 139

Catalytic cracking of alkanes on MCM-22 zeolite. Comparison with ZSM-5 and beta zeolite and its possibility as an FCC cracking additive 203

FCC catalyst

A comparison of laboratory deactivation methods for FCC catalysts 21

Heptane cracking

Cubic and hexagonal faujasites with varying Si/ Al ratios II. Catalysis of n-heptane cracking 57

Heteropolyacids supported on activated carbon as catalysts for the esterification of acrylic acid by butanol 217

Hollandite

New hollandite catalysts for the selective reduction of nitrogen monoxide with propene 1 Hydrogenation

High activity ultrafine Ni-Co-B amorphous alloy powder for the hydrogenation of benzene 143

Hydrogen-oxygen chemisorption

Nickel-alumina prepared by constant and varying pH method: Evaluation by hydrogen-oxygen

chemisorption and aniline hydrogenation 9 Hydroprocessing

Temperature-programmed oxidation studies of aged V-containing hydroprocessing catalysts 43 Hydroprocessing catalysts

Temperature-programmed oxidation studies of aged hydroprocessing catalysts 33

Incipient wetness

Preparation of Pt/SO₄²-ZrO₂ by incipient wetness impregnation: Influence of the sulfur concentration in the isomerization of n-butane 151

Infrared measurements

Cubic and hexagonal faujasites with varying Si/ Al ratios I. Synthesis and characterization 189

Isobutane

L-zeolite-supported platinum and platinum/tin catalysts for isobutane dehydrogenation 101

Isobutane dehydrogenation

Supra-equilibrium conversion in palladium membrane reactors: Kinetic sensitivity and time dependence 167

Isomerization

Isomerization of n-butane over Ni/SO₄²⁻-ZrO₂ 83

Kinetics

Supra-equilibrium conversion in palladium membrane reactors: Kinetic sensitivity and time dependence 167

L-zeolite

L-zeolite-supported platinum and platinum/tin catalysts for isobutane dehydrogenation 101

MCM-22

Catalytic cracking of alkanes on MCM-22 zeolite. Comparison with ZSM-5 and beta zeolite and its possibility as an FCC cracking additive 203

Membrane deactivation

Supra-equilibrium conversion in palladium membrane reactors: Kinetic sensitivity and time dependence 167

Mesopores

Adsorption isotherms of microporousmesoporous solids revisited 157

Microactivity test

A comparison of laboratory deactivation methods for FCC catalysts 21

Micropores

Adsorption isotherms of microporousmesoporous solids revisited 157

Micropore volume

Adsorption isotherms of microporousmesoporous solids revisited 157

Microporosity

Thermal stability of a high surface area ceria under reducing atmosphere 69

Mordenite

Vapour-phase nitration of benzene over modified mordenite catalysts 229

Nanophase

Nanophase catalytic oxides: I. Synthesis of doped cerium oxides as oxygen storage promoters 125

n-Butane isomerization

Preparation of Pt/SO₄²-ZrO₂ by incipient wetness impregnation: Influence of the sulfur concentration in the isomerization of n-butane 151

Nickel-alumina

Nickel-alumina prepared by constant and varying pH method: Evaluation by hydrogen-oxygen chemisorption and aniline hydrogenation 9

Nickel-cobalt-boron alloy

High activity ultrafine Ni-Co-B amorphous alloy powder for the hydrogenation of benzene 143

Nickel supported on sulfated zirconia

Isomerization of n-butane over Ni/SO₄² – ZrO₂ 83

Nitration

Vapour-phase nitration of benzene over modified mordenite catalysts 229

Nitrobenzen

Vapour-phase nitration of benzene over modified mordenite catalysts 229

Nitrogen isotherms

Cubic and hexagonal faujasites with varying Si/ Al ratios I. Synthesis and characterization 189

Nitrogen monoxide

New hollandite catalysts for the selective reduction of nitrogen monoxide with propene 1 NMR imaging

NMR imaging of aluminum oxide catalyst spheres 117

Non-framework aluminium

Cubic and hexagonal faujasites with varying Si/Al ratios I. Synthesis and characterization 189

N-phenyl-cyclohexylamine

Nickel-alumina prepared by constant and varying pH method: Evaluation by hydrogen-oxygen chemisorption and aniline hydrogenation 9

Nuclear magnetic resonance

Characterisation of coke from FCC refinery catalysts by quantitative solid state ¹³C NMR 139

Oxalate coprecipitation

Nanophase catalytic oxides: I. Synthesis of doped cerium oxides as oxygen storage promoters 125

Oxygen storage

Nanophase catalytic oxides: I. Synthesis of doped cerium oxides as oxygen storage promoters 125

Ovvgen vacancy

Nanophase catalytic oxides: I. Synthesis of doped cerium oxides as oxygen storage promoters 125

Palladium membrane

Supra-equilibrium conversion in palladium membrane reactors: Kinetic sensitivity and time dependence 167

Physical adsorption

Adsorption isotherms of microporousmesoporous solids revisited 157

Platinum

L-zeolite-supported platinum and platinum/tin catalysts for isobutane dehydrogenation 101

Platinum on sulfated zirconia

Preparation of Pt/SO_d^2 – ZrO_2 by incipient wetness impregnation: Influence of the sulfur concentration in the isomerization of n-butane 151

Pore size distribution

Adsorption isotherms of microporousmesoporous solids revisited 157

Preparation

Nickel-alumina prepared by constant and varying pH method: Evaluation by hydrogen-oxygen chemisorption and aniline hydrogenation 9

Propene

New hollandite catalysts for the selective reduction of nitrogen monoxide with propene 1 Reaction kinetics

Supra-equilibrium conversion in palladium membrane reactors: Kinetic sensitivity and time dependence 167

Reaction pathways

Cubic and hexagonal faujasites with varying Si/ Al ratios II. Catalysis of n-heptane cracking 57 Reduction

Thermal stability of a high surface area ceria under reducing atmosphere 69

Regeneration

Temperature-programmed oxidation studies of aged hydroprocessing catalysts 33

Resid cracking

A comparison of laboratory deactivation methods for FCC catalysts 21

Sulphur concentration

Preparation of Pt/SO_4^{2-} - ZrO_2 by incipient wetness impregnation: Influence of the sulfur concentration in the isomerization of n-butane 151

Surface area

Thermal stability of a high surface area ceria under reducing atmosphere 69

Temperature-programmed desorption

Temperature-programmed desorption study of the acidic properties of γ -alumina 93

Temperature-programmed desorption of ammonia

Cubic and hexagonal faujasites with varying Si/ Al ratios I. Synthesis and characterization 189 Temperature-programmed oxidation

Temperature-programmed oxidation studies of aged hydroprocessing catalysts 33

Temperature-programmed oxidation studies of aged V-containing hydroprocessing catalysts 43 Texture

Thermal stability of a high surface area ceria under reducing atmosphere 69

Thermal stability

Thermal stability of a high surface area ceria under reducing atmosphere 69

Tin

L-zeolite-supported platinum and platinum/tin catalysts for isobutane dehydrogenation 101 Ultrafine powder

High activity ultrafine Ni-Co-B amorphous alloy

powder for the hydrogenation of benzene 143 Vanadium

Temperature-programmed oxidation studies of aged V-containing hydroprocessing catalysts 43 Zeolites

Cubic and hexagonal faujasites with varying Si/Al ratios II. Catalysis of n-heptane cracking 57 L-zeolite-supported platinum and platinum/tin catalysts for isobutane dehydrogenation 101 Catalytic cracking of alkanes on MCM-22 zeolite. Comparison with ZSM-5 and beta zeolite and its possibility as an FCC cracking additive 203

Zirconia

Isomerization of n-butane over Ni/SO $_4^2$ – ZrO $_2$ 83

